BORDER SAFETY WEARS

PRODUCT DATASHEET

HEDGE EXECUTIVE

Product Code: BFP 2003

Safety Shoe | EN ISO 20345:2022 | S1P SR FO

Sizes: EU 38-48











AREA OF APPLICATION

Recommended for construction, infrastructure, manufacturing, logistics, warehousing, maintenance, engineering, and general industrial environments requiring protection against impact, puncture, slip, and fuel oil hazards.

TECHNICAL SPECIFICATIONS

Safety Category	S1P SR FO
Upper Material	Embossed Cow Leather
Toe Cap	Steel Toe Cap (200 Joules)
Midsole	Steel Plate (1100N Puncture Resistance)
Outsole	Heavy-Duty Polyurethane (PU)
Sole Construction	Injection Moulded
Lining	High-Quality Nylex Fabric
Insole	Removable EVA Footbed with Fabric Lining
Colour	Black
Origin	China

KEY FEATURES

- EN ISO 20345:2022 Certified
- 200 Joule Steel Toe Protection
- 1100N Steel Midsole Penetration Resistance
- Heavy-Duty PU Outsole

BORDER®
SAFETY WEARS

- Slip Resistant (SR)
- Fuel Oil Resistant Sole (FO)
- Premium Embossed Cow Leather Upper
- High-Quality Nylex Fabric Lining
- Removable EVA Footbed with Fabric Lining
- Shock Absorbing Heel
- Abrasion Resistant Construction
- Industrial Grade Safety Footwear

PROTECTIVE FEATURES

Steel Toe Cap (200J)	Provides reliable protection against impact and compression hazards in demanding industrial workplaces.
Steel Midsole (1100N)	Protects the foot from puncture hazards caused by nails, sharp objects, and debris.
Slip Resistant Outsole (SR)	Heavy-duty PU outsole provides excellent traction on ceramic and industrial flooring.
Fuel Oil Resistant Sole (FO)	Designed to resist deterioration caused by exposure to fuel oils commonly found in industrial environments.
Shock Absorption	Energy-absorbing heel design helps reduce fatigue during extended working hours.
Abrasion Resistant Construction	Premium embossed cow leather and durable PU outsole ensure long-lasting performance under demanding conditions.

CERTIFICATIONS

- EN ISO 20345:2022
- S1P SR FO
- CE Marked

S1P	Antistatic, energy absorption, closed heel & steel puncture-resistant midsole.
SR	Slip resistance.
FO	Fuel oil resistant outsole.

INDUSTRIES

- Construction
- Oil & Gas
- Manufacturing
- Warehousing

- Logistics
- Engineering
- Maintenance
- Infrastructure Projects
- General Industrial

STORAGE & MAINTENANCE

- Store footwear in a cool and dry place.
- Avoid prolonged exposure to direct sunlight.
- Clean using a soft brush or damp cloth.
- Do not use harsh chemicals or solvents.
- Allow footwear to dry naturally after use.
- Replace footwear if excessive wear or damage is observed.

WARRANTY

6 MONTHS MANUFACTURING WARRANTY. Warranty covers manufacturing defects under normal working conditions.