BORDER SAFETY WEARS

PRODUCT DATASHEET

FEET GUARD BROWN

Product Code: BFP 2008

Safety Shoe | EN ISO 20345:2022 | S1P SR FO HRO

Sizes: EU 39-46











AREA OF APPLICATION

Recommended for construction, manufacturing, oil & gas and general industrial environments where impact, puncture, slip, fuel-oil and contact-heat protection is required.

TECHNICAL SPECIFICATIONS

Safety Category	S1P SR FO HRO
Upper Material	Suede Leather
Lining	Soft Mesh Fabric
Toe Cap	Epoxy-Coated Steel Toe Cap (200 Joules)
Midsole	Epoxy-Coated Steel Plate (1100N Puncture Resistance)
Sole Construction	Cemented
Insole	Removable Moulded EVA Footbed
Outsole	Dual-Density EVA + Rubber
Colour	Brown
Origin	China

KEY FEATURES

- EN ISO 20345:2022 Certified
- 200J Steel Toe Cap
- 1100N Steel Puncture-Resistant Midsole
- Suede Leather Upper

- Dual-Density EVA + Rubber Outsole
- Slip Resistant (SR)
- Fuel Oil Resistant (FO)
- Heat Resistant Outsole (HRO)
- Antistatic

PROTECTIVE FEATURES

Steel Toe Cap (200J)	Protection against impact and compression hazards.
Steel Midsole (1100N)	Puncture resistance against sharp objects.
Slip Resistant Outsole (SR)	Reliable grip on industrial flooring.
Fuel Oil Resistant Sole (FO)	Resistant to degradation from fuel oil exposure.
Heat Resistant Outsole (HRO)	Withstands contact heat up to 300 C.
Antistatic	Dissipates static charge build-up.
Shock Absorption	Reduces impact stress in the heel area.

CERTIFICATIONS

- EN ISO 20345:2022
- EN ISO 20344:2022
- S1P SR FO HRO
- CE Marked

S1P	Antistatic, energy absorption, closed heel & steel puncture-resistant midsole.
SR	Slip resistance.
FO	Fuel oil resistant outsole.
HRO	Heat resistant outsole to 300 C.

INDUSTRIES

- Construction
- Oil & Gas
- Manufacturing
- Logistics
- Warehousing
- Engineering
- Maintenance

BORDER®
SAFETY WEARS

STORAGE & MAINTENANCE

- Store in a cool and dry location.
- Avoid prolonged exposure to direct sunlight.
- Clean with a soft brush or damp cloth.
- Do not use strong solvents or harsh chemicals.
- Allow footwear to dry naturally after use.
- Replace footwear if excessive wear or damage is observed.

WARRANTY

6 MONTHS MANUFACTURING WARRANTY. Warranty covers manufacturing defects under normal working conditions. Warranty is void if products are subjected to excessive heat, chemicals, cement water, bleach or water.