BORDER
SAFETY WEARS

PRODUCT DATASHEET

ACTIVE SAFETY SHOE

Product Code: BFP 2014

Safety Shoe | EN ISO 20345:2022 | S1P SR FO

Sizes: EU 38-47











AREA OF APPLICATION

Recommended for construction, manufacturing, warehousing, logistics and general industrial environments where impact, puncture, slip and fuel-oil protection is required.

TECHNICAL SPECIFICATIONS

Safety Category	S1P SR FO
Upper Material	Polyurethane Leather
Lining	High-Quality Breathable Non-Woven
Toe Cap	Steel Toe Cap (200 Joules)
Midsole	Steel Plate (1100N Puncture Resistance)
Sole Construction	Injection Moulded
Insole	Removable Moulded EVA
Outsole	Heavy-Duty Polyurethane (PU)
Colour	Brown
Origin	China

KEY FEATURES

- EN ISO 20345:2022 Certified
- 200J Steel Toe Cap
- 1100N Steel Puncture-Resistant Midsole
- Polyurethane Leather Upper

- Heavy-Duty PU Outsole
- Slip Resistant (SR)
- Fuel Oil Resistant (FO)
- Breathable Non-Woven Lining
- Removable Moulded EVA Insole
- Shock Absorbing Heel Design

PROTECTIVE FEATURES

Steel Toe Cap (200J)	Protection against impact and compression hazards.
Steel Midsole (1100N)	Puncture resistance against sharp objects.
Slip Resistant Outsole (SR)	Reliable grip on industrial flooring.
Fuel Oil Resistant Sole (FO)	Resistant to degradation from fuel oil exposure.
Shock Absorption	Reduces impact stress in the heel area.

CERTIFICATIONS

- EN ISO 20345:2022
- S1P SR FO
- CE Marked

S1P	Antistatic, energy absorption, closed heel & steel puncture-resistant midsole.
SR	Slip resistance.
FO	Fuel oil resistant outsole.

INDUSTRIES

- Construction
- Oil & Gas
- Manufacturing
- Logistics
- Warehousing
- Engineering
- Maintenance

STORAGE & MAINTENANCE

- Store in a cool and dry location.
- Avoid prolonged exposure to direct sunlight.
- Clean with a soft brush or damp cloth.
- Do not use strong solvents or harsh chemicals.

- Allow footwear to dry naturally after use.
- Replace footwear if excessive wear or damage is observed.

WARRANTY

6 MONTHS MANUFACTURING WARRANTY. Warranty covers manufacturing defects under normal working conditions. Warranty is void if products are subjected to excessive heat, chemicals, cement water, bleach or water.