BORDER
SAFETY WEARS

PRODUCT DATASHEET

FEET GUARD BLACK

Product Code: BFP 2032

Safety Shoe | EN ISO 20345:2022 | S1PS SR FO HRO

Sizes: EU 39-47











AREA OF APPLICATION

Recommended for construction, manufacturing, warehousing, logistics and general industrial environments where impact, puncture, slip and fuel-oil protection is required.

TECHNICAL SPECIFICATIONS

Safety Category	S1PS SR FO HRO
Upper Material	Suede Leather
Lining	Mesh
Toe Cap	Steel Toe Cap
Midsole	Kevlar (Non-Metallic, Puncture Resistant)
Insole	Mesh + EVA
Outsole	EVA + Rubber
Colour	Black
Origin	China

KEY FEATURES

- EN ISO 20345:2022 Certified
- Steel Toe Cap
- Kevlar Puncture-Resistant Midsole
- Suede Leather Upper
- EVA + Rubber Outsole

- Slip Resistant (SR)
- Fuel Oil Resistant (FO)
- Heat Resistant Outsole (HRO)
- Antistatic

PROTECTIVE FEATURES

Steel Toe Cap	Protection against impact and compression hazards.
Kevlar Midsole (PS)	Puncture resistance against sharp objects.
Slip Resistant Outsole (SR)	Reliable grip on industrial flooring.
Fuel Oil Resistant Sole (FO)	Resistant to degradation from fuel oil exposure.
Heat Resistant Outsole (HRO)	Withstands contact heat.
Antistatic	Dissipates static charge build-up.
Shock Absorption	Reduces impact stress in the heel area.

CERTIFICATIONS

- EN ISO 20345:2022
- EN ISO 20344:2022
- S1PS SR FO HRO
- CE Marked

S1P	Antistatic, energy absorption & closed heel.
PS	Non-metallic puncture-resistant midsole.
SR	Slip resistance.
FO	Fuel oil resistant outsole.
HRO	Heat resistant outsole.

INDUSTRIES

- Construction
- Oil & Gas
- Manufacturing
- Logistics
- Warehousing
- Engineering
- Maintenance

BORDER®
SAFETY WEARS

STORAGE & MAINTENANCE

- Store in a cool and dry location.
- Avoid prolonged exposure to direct sunlight.
- Clean with a soft brush or damp cloth.
- Do not use strong solvents or harsh chemicals.
- Allow footwear to dry naturally after use.
- Replace footwear if excessive wear or damage is observed.

WARRANTY

6 MONTHS MANUFACTURING WARRANTY. Warranty covers manufacturing defects under normal working conditions. Warranty is void if products are subjected to excessive heat, chemicals, cement water, bleach or water.