BORDER SAFETY WEARS

PRODUCT DATASHEET

Product Code: BFP 2035

Safety Shoe | EN ISO 20345:2022 | S3S SR FO SC

Sizes: EU 40-45











AREA OF APPLICATION

Recommended for construction, manufacturing, oil & gas and general industrial environments, including metal-free and security-sensitive areas, where impact, puncture, slip, water and fuel-oil protection is required.

TECHNICAL SPECIFICATIONS

Safety Category	S3S SR FO SC
Construction	100% Metal Free
Upper Material	Split Leather
Lining	Mesh
Toe Cap	Composite Toe Cap (150 Joules)
Midsole	Composite, Non-Metallic Puncture Resistant
Insole	Kevlar
Outsole	Double Density PU
Colour	Black
Origin	China

KEY FEATURES

- 100% Metal Free
- EN ISO 20345:2022 Certified
- Composite Toe Cap (150J)
- Non-Metallic Puncture-Resistant Midsole

- Double Density PU Outsole
- Kevlar Insole
- Water-Resistant Upper (WPA)
- Slip Resistant (SR)
- Fuel Oil Resistant (FO)
- Scuff Cap (SC)

PROTECTIVE FEATURES

Composite Toe Cap (150J)	Protection against impact and compression hazards.
Non-Metallic Midsole (PS)	Puncture resistance against sharp objects.
Water-Resistant Upper (WPA)	Protects against water penetration and absorption.
Slip Resistant Outsole (SR)	Enhanced grip on industrial flooring.
Fuel Oil Resistant Sole (FO)	Resistant to degradation from fuel oil exposure.
Scuff Cap (SC)	Abrasion protection over the toe area.
Antistatic	Dissipates static charge build-up.
Shock Absorption	Reduces impact stress in the heel area.

CERTIFICATIONS

- EN ISO 20345:2022
- S3S SR FO SC
- CE Marked

S3S	150J toe protection, water-resistant upper & non-metallic (3mm) puncture-resistant midsole.
SR	Enhanced slip resistance.
FO	Fuel oil resistant outsole.
SC	Scuff cap abrasion resistance.

INDUSTRIES

- Construction
- Oil & Gas
- Manufacturing
- Logistics
- Warehousing
- Engineering
- Maintenance

BORDER®
SAFETY WEARS

STORAGE & MAINTENANCE

- Store in a cool and dry location.
- Avoid prolonged exposure to direct sunlight.
- Clean with a soft brush or damp cloth.
- Do not use strong solvents or harsh chemicals.
- Allow footwear to dry naturally after use.
- Replace footwear if excessive wear or damage is observed.

WARRANTY

6 MONTHS MANUFACTURING WARRANTY. Warranty covers manufacturing defects under normal working conditions. Warranty is void if products are subjected to excessive heat, chemicals, cement water, bleach or water.