BORDER SAFETY WEARS

PRODUCT DATASHEET

BSW0512 BLACK

Product Code: BSW 0512

Safety Shoe | EN ISO 20345:2022 | S1PS SR

Sizes: EU 39-46











AREA OF APPLICATION

Recommended for construction, manufacturing, logistics and general light-industrial environments, including metal-free and security-sensitive areas, where impact, puncture and slip protection with quick no-tie convenience is required.

TECHNICAL SPECIFICATIONS

Safety Category	S1PS SR
Upper Material	Flyknit
Lining	Abrasion-Resistant Mesh
Toe Cap	Composite Toe Cap (150 Joules)
Midsole	Kevlar (Non-Metallic, Puncture Resistant)
Insole	Removable Antistatic Memory Foam
Outsole	EVA
Lacing	No-Tie Rotating Automatic Buckle
Colour	Black
Origin	China

KEY FEATURES

- EN ISO 20345:2022 Certified
- ASTM F2413-11 Certified
- Composite Toe Cap (150J)
- Kevlar Puncture-Resistant Midsole

- Flyknit Upper
- No-Tie Rotating Buckle Closure
- EVA Outsole
- Slip Resistant (SR)
- Antistatic

PROTECTIVE FEATURES

Composite Toe Cap (150J)	Protection against impact and compression hazards.
Kevlar Midsole (PS)	Puncture resistance against sharp objects.
No-Tie Rotating Buckle	Quick, secure and even fit without laces.
Slip Resistant Outsole (SR)	Reliable grip on industrial flooring.
Antistatic	Dissipates static charge build-up.
Shock Absorption	Reduces impact stress in the heel area.

CERTIFICATIONS

- EN ISO 20345:2022
- ASTM F2413-11
- S1PS SR
- CE Marked

S1P	Antistatic, energy absorption & closed heel.
PS	Non-metallic (3mm) puncture-resistant midsole.
SR	Slip resistance.

INDUSTRIES

- Construction
- Oil & Gas
- Manufacturing
- Logistics
- Warehousing
- Engineering
- Maintenance

STORAGE & MAINTENANCE

- Store in a cool and dry location.
- Avoid prolonged exposure to direct sunlight.
- Clean with a soft brush or damp cloth.

- Do not use strong solvents or harsh chemicals.
- Allow footwear to dry naturally after use.
- Replace footwear if excessive wear or damage is observed.

WARRANTY

6 MONTHS MANUFACTURING WARRANTY. Warranty covers manufacturing defects under normal working conditions. Warranty is void if products are subjected to excessive heat, chemicals, cement water, bleach or water.