BORDER SAFETY WEARS

PRODUCT DATASHEET

BSW0515 KITCHEN SAFETY SHOE

Product Code: BSW 0515

Safety Shoe | EN ISO 20345:2022 | S1PL SR FO HRO

Sizes: EU 39-46











AREA OF APPLICATION

Recommended for commercial kitchens, hospitality, catering and food-processing environments, including metal-free and wet or greasy areas, where a lightweight, easy-to-clean slip-on with impact, puncture, slip, fuel-oil and contact-heat protection is required.

TECHNICAL SPECIFICATIONS

Safety Category	S1PL SR FO HRO
Upper Material	Microfiber
Lining	Mesh
Toe Cap	Composite Toe Cap (150 Joules)
Midsole	Kevlar (Non-Metallic, Puncture Resistant)
Insole	Washable Insole
Outsole	Single-Density PU
Lacing	Slip-On Type
Colour	Black
Origin	China

KEY FEATURES

- EN ISO 20345:2022 Certified
- 100% Metal Free
- Composite Toe Cap (150J)
- Kevlar Puncture-Resistant Midsole

- Microfiber Upper
- Slip-On Convenience
- Washable Insole
- Slip Resistant (SR)
- Fuel Oil Resistant (FO)
- Heat Resistant Outsole (HRO)
- Antistatic

PROTECTIVE FEATURES

Composite Toe Cap (150J)	Protection against impact and compression hazards.
Kevlar Midsole (PL)	Non-metallic puncture resistance against sharp objects.
Slip Resistant Outsole (SR)	Reliable grip on wet and greasy kitchen flooring.
Fuel Oil Resistant Sole (FO)	Resistant to degradation from oil and fuel exposure.
Heat Resistant Outsole (HRO)	Withstands contact heat up to 300 C.
Antistatic	Dissipates static charge build-up.
Shock Absorption	Reduces impact stress in the heel area.

CERTIFICATIONS

- EN ISO 20345:2022
- S1PL SR FO HRO
- CE Marked

S1P	Antistatic, energy absorption & closed heel.
PL	Non-metallic (4.5mm) puncture-resistant midsole.
SR	Slip resistance.
FO	Fuel oil resistant outsole.
HRO	Heat resistant outsole to 300 C.

INDUSTRIES

- Commercial Kitchens
- Hospitality
- Catering
- Food Processing
- Restaurants
- Facilities
- Cleaning

BORDER®
SAFETY WEARS

STORAGE & MAINTENANCE

- Store in a cool and dry location.
- Avoid prolonged exposure to direct sunlight.
- Clean with a soft brush or damp cloth.
- Do not use strong solvents or harsh chemicals.
- Allow footwear to dry naturally after use.
- Replace footwear if excessive wear or damage is observed.

WARRANTY

6 MONTHS MANUFACTURING WARRANTY. Warranty covers manufacturing defects under normal working conditions. Warranty is void if products are subjected to excessive heat, chemicals, cement water, bleach or water.